

584900 E

584900 E

585000 E

265100 N


265000 N

264900 N



| STORM DRAINAGE SCHEDULE |       |        |      |          |          |          |
|-------------------------|-------|--------|------|----------|----------|----------|
| MH                      | COVER | INVERT | SIZE | DISTANCE | MATERIAL | GRADE %  |
| HEADWALL 1              |       | 29.21  |      |          |          |          |
| S51                     | 31.38 | 29.30  | 450  | 6.5      | CONC     | 1 IN 72  |
| S49                     | 31.45 | 29.48  | 450  | 29.6     | CONC     | 1 IN 164 |
| S47                     | 31.86 | 29.53  | 375  | 28.5     | CONC     | 1 IN 158 |
| S46                     | 31.95 | 29.78  | 300  | 8.5      | CONC     | 1 IN 213 |
| S45                     | 32.24 | 29.82  | 300  | 28.0     | CONC     | 1 IN 112 |
| S44                     | 32.06 | 30.17  | 300  | 15.7     | CONC     | 1 IN 175 |
| S43                     | 31.89 | 30.34  | 300  | 26.1     | CONC     | 1 IN 154 |
| HEADWALL 2              |       | 29.24  |      |          |          |          |
| S25                     | 31.71 | 29.32  | 375  | 13.5     | CONC     | 1 IN 169 |
| S21                     | 32.13 | 29.55  | 375  | 40.2     | CONC     | 1 IN 175 |
| S19                     | 31.96 | 30.16  | 300  | 24.9     | CONC     | 1 IN 46  |
| S18                     | 32.06 | 30.39  | 300  | 28.1     | CONC     | 1 IN 122 |
| S15                     | 32.07 | 30.70  | 225  | 52.3     | CLAY     | 1 IN 174 |
| S25                     | 31.71 | 29.37  | 225  | 26.4     | CLAY     | 1 IN 68  |
| S53                     | 31.42 | 29.76  | 225  | 25.9     | CLAY     | 1 IN 370 |
| S23                     | 31.36 | 29.83  |      |          |          |          |
| HEADWALL 3              |       | 29.41  |      |          |          |          |
| S13                     | 31.83 | 29.42  | 750  | 5.9      | CONC     | 1 IN 580 |
| S12                     | 32.02 | 29.51  | 750  | 33.0     | CONC     | 1 IN 457 |
| S10                     | 31.63 | 29.91  | 750  | 36.2     | CONC     | 1 IN 83  |
| S8                      | 31.95 | 30.08  | 750  | 32.0     | CONC     | 1 IN 213 |
| S6                      | 32.33 | 30.48  | 225  | 26.6     | CLAY     | 1 IN 51  |
| S4                      | 32.48 | 31.26  | 150  | 14.5     | CLAY     | 1 IN 51  |
| S3                      | 32.70 | 31.44  | 150  | 21.2     | CLAY     | 1 IN 60  |
| OUTFALL                 |       | 29.19  |      |          |          |          |
| S38                     | 31.80 | 29.31  | 300  | 12.4     | CONC     | 1 IN 103 |
| S32                     | 31.68 | 29.55  | 225  | 23.2     | CLAY     | 1 IN 180 |
| S31                     | 31.48 | 29.84  | 225  | 23.2     | CLAY     | 1 IN 80  |
| S38                     | 31.80 | 29.38  | 225  | 34.5     | CLAY     | 1 IN 57  |
| S36                     | 31.49 | 30.08  | 150  | 14.3     | CLAY     | 1 IN 143 |
| S34                     | 31.92 | 30.18  |      |          |          |          |

| FOUL DRAINAGE SCHEDULE |       |        |      |          |          |          |
|------------------------|-------|--------|------|----------|----------|----------|
| MH                     | COVER | INVERT | SIZE | DISTANCE | MATERIAL | GRADE %  |
| PUMPING STATION        |       |        |      |          |          |          |
| F9                     | 31.55 | 28.47  | 150  | 9.7      | CLAY     | 1 IN 108 |
| F8                     | 31.67 | 28.56  | 150  | 12.3     | CLAY     | 1 IN 59  |
| F16                    | 31.76 | 28.77  | 150  | 26.1     | CLAY     | 1 IN 84  |
| F17                    | 32.41 | 29.08  | 150  | 14.2     | CLAY     | 1 IN 118 |
| F18                    | 32.11 | 29.20  | 150  | 30.7     | CLAY     | 1 IN 88  |
| F19                    | 31.49 | 29.55  | 150  | 10.7     | CLAY     | 1 IN 134 |
| F20                    | 31.60 | 29.63  | 150  | 42.7     | CLAY     | 1 IN 102 |
| F21                    | 32.00 | 30.05  | 150  | 27.3     | CLAY     | 1 IN 35  |
| F22                    | 32.34 | 30.82  |      |          |          |          |
| F8                     | 31.67 | 28.56  | 150  | 32.2     | CLAY     | 1 IN 98  |
| F10                    | 31.83 | 28.89  | 150  | 34.4     | CLAY     | 1 IN 104 |
| F11                    | 31.48 | 29.22  | 150  | 14.5     | CLAY     | 1 IN 60  |
| F12                    | 31.96 | 29.46  | 150  | 13.9     | CLAY     | 1 IN 107 |
| F23                    | 32.14 | 29.59  | 150  | 16.7     | CLAY     | 1 IN 104 |
| F24                    | 32.00 | 29.75  | 150  | 17.2     | CLAY     | 1 IN 91  |
| F13                    | 32.05 | 29.94  | 150  | 34.8     | CLAY     | 1 IN 70  |
| F14                    | 32.17 | 30.44  |      |          |          |          |
| F13                    | 32.05 | 29.94  | 150  | 23.1     | CLAY     | 1 IN 116 |
| F15                    | 32.11 | 30.14  |      |          |          |          |
| F16                    | 31.76 | 28.77  | 150  | 9.0      | CLAY     | 1 IN 82  |
| F7                     | 31.55 | 28.88  | 150  | 17.6     | CLAY     | 1 IN 110 |
| F6                     | 31.51 | 29.04  | 150  | 25.9     | CLAY     | 1 IN 144 |
| F5                     | 31.80 | 29.22  | 150  | 8.8      | CLAY     | 1 IN 147 |
| F4                     | 31.91 | 29.28  | 150  | 30.1     | CLAY     | 1 IN 97  |
| F2                     | 32.30 | 29.59  | 150  | 20.4     | CLAY     | 1 IN 17  |
| F1                     | 32.60 | 30.82  |      |          |          |          |
| F2                     | 32.30 | 29.64  | 150  | 24.1     | CLAY     | 1 IN 69  |
| F3                     | 31.86 | 29.99  |      |          |          |          |



**mk surveys**  
 Tel 01908 565561  
 www.mk-surveys.co.uk  
 Milton Keynes  
 enquiries@mk-surveys.co.uk  
 01908 565561  
 mk@mk-surveys.co.uk  
 mk@mk-surveys.co.uk

**Section 104**

Sample Adoptions Survey